## **Spiranthes infernalis** Sheviak (1989)

## ASH MEADOWS LADY'S TRESSES

**FAMILY:** *Orchidaceae*, the orchid family.

**SYNONYMS:** Spiranthes romanzoffiana var. porrifolia (misapplied)

STATUS:

Heritage Program SENSITIVE LIST, ranks: G1 S1

USFWS/ESA: species of concern. STATE OF NEVADA: none. BLM: none. USFS: none.

**NNNPS:** THREATENED.

**POPULATION CENSUS: 11 occurrences mapped** at 1.0 km (0.6 mi) separation, OR **15 occurrences mapped** at 0.16 km (0.1 mi) separation; total estimated **individuals 1107+**, total estimated **area 11.4+ ha (28.2+ ac)**. **TREND:** unknown.

IMPACTS AND MAJOR THREATS: Orchid collectors.

**INVENTORY EFFORT:** Surveys are largely complete, but a few undocumented occurrences probably remain. Most recent entered survey 1998, average year of last survey 1991. **Years since last entered survey** (percent of mapped records at various survey ages): **0-5 yrs:** 6.7%; **6-10 yrs:** 20%; **11-20 yrs:** 73.3%.

**LAND MANAGEMENT** in decreasing predominance: U. S. Fish and Wildlife Service, private lands.

**RANGE:** Nye County, Nevada. Endemic to the Ash Meadows area. Maximum **range dimension 11.7 km (7.3 mi)** excluding most disjunct record. **Type specimen** collected in Nye County.

ELEVATIONS RECORDED: 2190-2340 feet (668-713 meters).

HABITAT: Permanently to seasonally wet alkaline meadows, often near the edges of spring outflows, in the creosote-bursage and shadscale zones with Eleocharis rostellata, Fimbristylis thermalis, Juncus balticus, Distichlis spicata, Spartina gracilis, Anemopsis californica, Centaurium namophilum, Grindelia fraxinopratensis, Mentzelia leucophylla, Cordylanthus tecopensis, Lythrum californicum, Schoenus nigricans, Prosopis pubescens, Tamarix ramosissima, Fraxinus velutina, Sporobolus airoides, Helianthus nuttallii, Thelypodium integrifolium, etc. Aquatic or wetland-dependent.

PHENOLOGY: flowering late-spring to summer. Range of most frequent survey months: June-August.

**LIFE-FORM AND HABIT:** tuberous perennial herb.

**DESCRIPTION:** An herbaceous, small-flowered orchid. Flowers are yellowish white, green at the base.

**Distinguishing features:** Must be distinguished with care from Spiranthes porrifolia, S. diluvialis, and S. romanzoffiana.

PHOTOGRAPHS: Nevada Natural Heritage Program slide collection (1986-present) and files.

ILLUSTRATIONS: Sheviak (1989).

**OTHER GENERAL REFERENCES** (listed separately): Beatley (1976).

**SPECIFIC REFERENCES:** 

Sheviak, C. J. 1989. A new Spiranthes (Orchidaceae) from Ash Meadows, Nevada. Rhodora 91: 225-234.

Threloff, D. 1990. Status Report on Ash Meadows lady's tresses (Spiranthes infernalis). Las Vegas, Nevada: U. S. Fish and Wildlife Service. 16 pages.

OF FURTHER INTEREST: Described in Rhodora 91 (867):225. 1989.